

## ARMORWELD®

PRODUCT PART NUMBER

### Style EWT

### Fiberglass Woven Tape

## PRODUCT DATA SHEET

When quality, performance, reliability and cost are important, **ARMORWELD® Fiberglass Woven Tape** is the solution. Designed and manufactured to meet a wide range of demanding, high-temperature OEM and industrial applications.

**ARMORWELD® Fiberglass Woven Tape** provides added value with its inherent durability, flexibility and secure confidence gained by proven in-use experience.

Today's stringent quality requirements make **ARMORWELD® Fiberglass Woven Tape** the logical first choice for gasketing and insulation in high-temperature environments.

- Dependable continuous service protection up to 1000°F (538°C)
- Strong and durable
- Resilient
- Resists abrasion
- Resists most acids and alkalis
- Not affected by solvents or bleaches

### General Description:

**ARMORWELD® Fiberglass Woven Tape** provides the flexibility needed for easy installation around corners. High compressibility and resiliency create an excellent, long lasting seal.

**ARMORWELD® Fiberglass Woven Tape** is an ideal non-hazardous replacement for outdated high-temperature tapes.



### Typical Applications:

**ARMORWELD® Fiberglass Woven Tape** is the best choice for new or alternative gasketing in pipe wrap, boiler, furnace, oven, gas fireplace, wood/gas/coal/tile/pellet stove, thermal insulation, glass manufacturing, flange gasketing and fireproof safe applications.

### Optional Features and Benefits:

**Drop Warp (Ladder Type):** For easy installation over bolts.

**Graphite Coating:**

Provides more abrasion resistance. Black color renders a more integrated, blended appearance for the unit. Graphite coating is permanent at high temperatures.

**Pressure-sensitive adhesive:** When applied to one side of tape, this feature creates economies in production, eliminates messy (and potentially dangerous) glues and cements from the workplace.

**PTFE Impregnated:** Lowers coefficient of friction increases abrasion resistance and improves chemical resistance.